



| | | |
|--------------------|--|--------------------------|
| Materials/Finishes | Plain Carbon Steel (51B) | Electro-Galvanized (51G) |
| | T-304 Stainless (51SS) | T-316 Stainless (51SX) |
| Variants: | N/A | |
| Service: | Designed for connecting two lengths of rod with equal diameters. | |
| Approvals: | N/A | |
| Ordering: | Specify figure number, finish and rod size. | |
| Notes: | N/A | |

| SIZE | LENGTH L | HEX WIDTH | WGT EACH (LBS) | MAX REC LOAD (LBS) |
|-----------|-------------|--------------|----------------------|-----------------------------|
| 1/4-20 | 7/8 | 3/8 | .02 | 230 |
| 3/8-16 | 1-3/4 | 5/8 | .11 | 610 |
| 1/2-13 | 1-3/4 | 1-1/16 | .10 | 1130 |
| 5/8-11 | 2-1/8 | 1-3/16 | .18 | 1810 |
| 3/4-10 | 2-1/4 | 1 | .28 | 2710 |
| 7/8-9 | 2-1/2 | 1-1/4 | .55 | 3770 |
| 1-8 | 2-3/4 | 1-3/8 | .71 | 4960 |
| 1-1/8 - 7 | 3 | 1-1/2 | .86 | 6230 |
| 1-1/4 - 7 | 3 | 1-5/8 | .95 | 8000 |
| 1-1/2 - 6 | 3-1/2 | 2 | 1.88 | 11630 |

| PROJECT INFORMATION | | | APPROVAL STAMP |
|---------------------|-------------------|--------------|----------------|
| Project: | | | Notes: |
| Address: | | | |
| Contractor: | | | |
| Engineer: | | | |
| Date: | | | |
| Approved | Approved as Noted | Not Approved | |