



41150

21030



### TYPICAL PROPERTIES

Color: Translucent white  
 Operating Temperature  
 Range: -45° to 450° F  
 NLGI Grade (ASTM D1092): 2  
 Dropping point (ASTM D566):  
 >500° F (260C)  
 Four ball test (ASTM D2783):  
 Load wear index: 81.73 kg  
 Weld point: 400 kg  
 Oxidation stability 100 hrs.  
 (ASTM D942): 0 psi  
 Wheel bearing leakage  
 (ASTM D1263): 0.2g  
 Copper corrosion 24 hrs @  
 100° C (ASTM D4048): 1B,  
 shiny  
 Shelf life: 24 months

### Super Lube Grease

Super Lube is a patented synthetic NLGI grade 2 heavy-duty, multi-purpose lubricant with PTFE. Synthetic base fluids and the addition of PTFE micro powders combine to form a premium lubricant that provides long life protection against friction, wear, rust and corrosion. Machinery lasts longer, downtime is reduced, and productivity is increased.

Super Lube is a USDA listed Food Grade Lubricant, rated H1 for incidental food contact. Super Lube will not run or drip, does not evaporate or form gummy deposits and will not dry out, melt or separate.

Super Lube is a synthetic, heavy duty lubricant that is compatible with most other lubricants. Super Lube Grease outlasts conventional greases 50-100% and has excellent adhesion.



### Benefits:

- Clean
- Non-toxic
- Non-staining
- Dielectric
- USDA Rating H1
- Will not drip, run or evaporate
- Impervious to salt water, safe in potable water
- Long lasting
- Prevents rust & corrosion while reducing friction
- Compatible with conventional lubricants
- Repels dirt, dust, grit & grime
- Extends machinery and equipment life
- Reduces maintenance while saving time & money
- Reduces friction and wear
- Will not stain or harm wood, rubber, leather, plastic, fabrics and paint.

### Super Lube Grease Replaces

- Lithium, Bentone, Calcium or Aluminum complex grease
- High & low temperature greases
- Electric motor grease
- Food grade grease
- Bearing, wheel bearing grease
- Multi-purpose grease
- Dielectric grease
- Valve sealant
- O-ring lubricant

### Applications:

- Plain and anti-friction bearings
- Ball and roller bearings
- Wheel bearings
- Chassis points
- Fifth wheels
- Electric motor bearings
- Disc brake assemblies
- Pumps
- Blowers
- Cams
- Slides
- Conveyors
- Chains
- Water pumps
- Valves
- Open gears
- Switch assemblies
- Cables
- Fans
- Electronic equipment
- Deep drawing application

Part Number (old)	Description	Case Qty	List Price
21010 (82324)	1/2 oz. tube	12	\$ 6.99
21030 (82325)	3 oz. tube	12	11.35
72350 (41150)	400 g cartridge	12	24.02
41160 (82329)	400 g jar	12	25.00
41050 (82330)	5 lb. pail	4	130.10
41030 (82331)	30 lb. pail	1	733.06